EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	25274082	(@rlad<"20031104" or @ad<"20031104")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/05 21:16
S2	0	S1 and ("router command" near3 "address prefix")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/05 21:18
S3	0	S1 and ("router command" near5 "address prefix")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/05 21:20
S4	502	S1 and ((router adj (config$7 or manage$4)) and (address adj3 identif$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/05 21:25
S5	77	S4 and dhcp	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/06 10:01
S6	25274082	(@rlad<"20031104" or @ad<"20031104")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/06 10:02
S7	0	S6 and (pars$4 adj2 (router adj (command$ or oper$7)))	DERWENT	OR	ON	2007/07/06 10:03
S8	0	S6 and (pars$4 near2 (router near2 (command$ or oper$7)))	DERWENT	OR	ON	2007/07/06 10:03
S9	2	S6 and ((pars$4 or exec$6) near2 (router near2 (command$ or oper$7)))	DERWENT	OR	ON	2007/07/06 10:07

EAST Search History

S10	0	S6 and ((router adj2 (command or code)) adj2 exec$6)	DERWENT	OR	ON	2007/07/06 10:05
S11	1	S6 and (router adj command$2)	DERWENT	OR	ON	2007/07/06 10:06
S12	2	S6 and ((pars$4 or exec$6) near2 (router near2 (command$ or oper$7))),	DERWENT	OR	ON	2007/07/06 10:08
S13	87	S6 and ((pars$4 or exec$6) near2 (router near2 (command$ or oper$7)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/06 10:10
S14	10	(US-20060117367-$ or US-20050075914-$ or US-20040193906-$ or US-20040078286-$ or US-20030225782-$ or US-20020166063-$).did. or (US-7233975-$ or US-7036048-$ or US-6959332-$ or US-6724724-$).did.	US-PGPUB; USPAT	OR	ON	2007/07/06 11:07
S15	5	S14 and (router adj command$2)	US-PGPUB; USPAT	OR	ON	2007/07/06 11:08
S16	13	S6 and ((router adj config$6) near3 manag$5)	US-PGPUB; USPAT	OR	ON	2007/07/06 11:12
S17	160	S6 and ((router near3 opera$5) near3 manag$5)	US-PGPUB; USPAT	OR	ON	2007/07/06 14:12
S18	137	S17 and config$7	US-PGPUB; USPAT	OR	ON	2007/07/06 14:13
S19	10	S18 and ios	US-PGPUB; USPAT	OR	ON	2007/07/06 14:16
S20	143	S6 and (router near3 (ios or cli))	US-PGPUB; USPAT	OR	ON	2007/07/06 15:21
S21	427	S6 and (router near3 (operat$4 adj system))	US-PGPUB; USPAT	OR	ON	2007/07/06 15:25
S22	447	S6 and (router near3 (operat$4 adj system))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2007/07/06 15:29

EAST Search History

S23	447	S6 and (router near3 (operat$4 adj system))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/07/06 15:38
S24	0	S6 and (((router adj command$2) near4 (address adj prefix)) near4.((address or prefix) adj value))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/07/06 15:36
S25	0	S6 and ((router adj command$2) near4 (address adj prefix))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/07/06 15:36
S26	386	S23 and config$7	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/07/06 15:38
S27	326	S26 and manag$6	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/07/06 15:39
S28	7	S6 and ((router adj2 config$6) adj3 file)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/07/06 16:01
S29	1	S6 and (rfc adj "2894")	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/07/07 19:45

EAST Search History

S30	25274082	(@rlad<"20031104" or @ad<"20031104")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/07 19:46
S31	46	S30 and (prefix adj server)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/07/07 20:08
S32	40119	S31 and address prefix	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/07/07 20:08
S33	5	S31 and (address adj prefix)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/07/07 20:11
S34	5	S31 and (prefix adj value)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/07/07 20:12
S35	445	S30 and (prefix adj value)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/07/07 20:22
S36	5	S35 and (address adj allocat$4)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/07/07 20:24

EAST Search History

S37	39	S35 and (prefix near4 router)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/07/07 20:29
S38	0	S35 and (router adj (operand or command))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/07/07 20:29
S39	11	S35 and (router adj (opera$5))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/07/07 20:31
S40	0	S35 and (router adj command)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/07/07 20:31
S41	4	S35 and (router near3 command)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/07/07 20:33
S42	95	S35 and (operand)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/07/07 20:33
S43	12	S42 and router	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/07/07 20:35

EAST Search History

S44	14	S35 and ios	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/07/07 20:37
S45	1	S44 and router	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/07/07 20:37
S46	16	S35 and (router adj3 config$7)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/07/07 20:38